

Formulary for inhaled preparations containing corticosteroid

ICS strength (as per BTS/SIGN terminology)		Formulary choice ICS	Licensed Age	Formulary choice ICS/LABA	Licensed Age
Very low dose (paediatric)	DPI	Pulmicort Turbohaler 100 - 1 puff BD	5+	Symbicort Turbohaler 100 – 1 puff BD	6+
	pMDI	Clenil modulite 50 – 2 puffs BD	2+		
		Clenil Modulite 100 - 1 puff BD	2+		
Starting dose child < 12		Flixotide Evohaler 50 - 1 puff BD	4+		
Low dose	DPI	Pulmicort Turbohaler 100 - 2 puffs BD	5+	Symbicort Turbohaler 100/6 – 2 puffs BD	6+
		Pulmicort Turbohaler 200 – 1 puff BD		Symbicort Turbohaler 200/6 - 1 puff BD	12+
				Relvar Ellipta 92/22 - 1 puff OD ²	12+
				<i>Seretide Accuhaler 100 – 1 puff BD³</i>	4+
	pMDI	Clenil Modulite 100 - 2 puffs BD	2+	<i>Seretide Evohaler 50 - 2 puffs BD¹</i>	4+
		Flixotide Evohaler 50 - 2 puffs BD	4+		
		Flixotide Evohaler 125 - 1 puff BD	4+		
Medium dose	DPI	Pulmicort Turbohaler 200 - 2 puffs BD		Symbicort Turbohaler 200/6 - 2 puffs BD	12+
				Symbicort Turbohaler 400/12 - 1 puff BD	12+
				Relvar Ellipta 92/22 – 1puff OD ²	12+
	pMDI	Clenil Modulite 200 - 2 puffs BD	12+	<i>Seretide Evohaler 125/25 – 2 puffs BD⁴</i>	12+
		Flixotide Evohaler 50 – 4 puff BD	4+		
		Flixotide Evohaler 125 - 2 puffs BD	16+		
High dose⁵	DPI	Pulmicort Turbohaler 400 – 2 puffs BD	12+	Relvar Ellipta 184/22 – 1 puff OD	12+
	pMDI	Flixotide Evohaler 250 – 2 puffs BD	16+		

1. All age groups from 4+ (inc adults) requiring low dose ICS/LABA 2. Relvar 92/22 is considered to be low/medium dose ICS 3. Formulary choice age 4-12 years only 4. Formulary choice age 12-17 years only 5. Not for children 12 and under without specialist intervention/care for use in 12-17 years old without specialist intervention.